


Horizontal Cross Flow Throw Ceiling Diffuser Louvered Face - Filtered

Model: TDCR-AA • Removable Face • Aluminum
TDCR-SS • Removable Face • Stainless Steel



General Description

- Model TDCR is a high capacity filtered ceiling diffuser
- Unbroken horizontal flow pattern from maximum cfm down to minimum
- Airtight plenum/filter housing construction
- Integral filter rack for use with high efficiency gel seal type filters
- Static Pressure Test Port
- Louvered face is quickly removed by loosening 1/4 turn fasteners
- Designed for surfaced mounted or conventional T-bar ceiling system.
- Compatible with 1" or 1 1/2" T-bar ceiling grids.
- Retainer cables prevent accidental dropping of louvered face after removal
- Compatible filter models are: HEPA-R, ULPA-R, MERV14-R, & MERV15-R

Basic Unit Configuration

Check if provided.

Construction Material

- Aluminum Construction
- 304 Stainless Steel Construction

Finish


- #04 Mill Finish
- #21 Enviro-Thane* to match sample
- #26 White
- #25 Off-White
- #84 Black

Accessories (Optional)

Check if provided.


- Radial Damper – Cable Operated
- Butterfly Damper – Cable Operated
- Aerosol Injection Port & Distribution Manifold
- Factory Certified Leak Tested - In accordance with IEST-RP-CC034.3
- Fully Welded Plenum & Inlet
- ½" Foil-Faced Insulated Plenum (External)
- HEPALert LED Filter Indicator – 24V
- HEPALert LED Filter Indicator – Battery Operated

Knife Edge/Gel Seal Detail:




This submittal is meant to demonstrate general dimensions of this product. The drawings are not meant to detail every aspect of the product. Drawings are not to scale. Titus reserves the right to make changes without written notice.

Cable Operated Damper Detail:



Port & Cable Operator Details:



Aerosol Manifold Details:

