



**PAR • Return**

Perforated Ceiling Diffusers  
Steel • Flush Face


Border Type 3 (Lay-In when D=Module size -2)




Border Type 3 (Lay-In for other duct sizes shown)




Border Type 1 (Surface Mount)




Border Type 2 (Snap-In)



Border Type 4 (Spline)



Border Type 4SL (Spline Side Lock)



**Note:** 4SL can be installed after ceiling tiles are in place.


Available Sizes for Border Types 1, 2, 3, 4, 4SL																	
Face or Ceiling Module Size	Nominal Duct Size D																
	6 x 6	8 x 8	10 x 10	12 x 12	14 x 14	15 x 15	18 x 6	18 x 18	22 x 10	22 x 22	46 x 22	6" Dia.	8" Dia.	10" Dia.	12" Dia.	14" Dia.	16" Dia.
12 x 12	•		•									•					
24 x 12	•						•		•			•					
16 x 16	•	•			•							•	•	•			
20 x 20	•	•	•					•				•	•	•	•	•	
24 x 24	•	•	•	•		•		•		•		•	•	•	•	•	•
48 x 24	•	•	•	•		•					•	•	•	•	•	•	•

• Indicates available combination.

### Removing Perforated Face


1. Insert small Screwdriver or other slim instrument to push latch inward from border.

2. Repeat on opposite side.




3. Face will now swing down with 2 remaining latches acting as hinges.

For complete removal, release 2 remaining latches at left.




### Accessories (Optional) Check if provided.


Model AG-95 Opposed Blade Damper



Model AG-35B Opposed Blade Damper



TRM TITUS Rapid Mount Frame



For Surface Mounting Border Type 3

IB Molded Insulation Blanket



Insulation is R-6 where blanket has the most depth. One-inch clearance on each side of neck is left for insulated duct connection. 24 x 24-inch module size only. Blanket is factory installed.

## Standard Finish: #26 White

### General Description

---

- Model PAR flush face perforated ceiling diffusers are designed for use as returns to match the Model PAS supply diffusers.
- Can be mounted in a plenum or connected to a return duct.
- Optional damper is easily adjusted by dropping the perforated face (see page 2).
- Perforated face has 3/16" diameter holes on 1/4" staggered centers.
- Material is heavy gauge steel.

This submittal is meant to demonstrate general dimensions of this product. The drawings are not meant to detail every aspect of the product. Drawings are not to scale. Titus reserves the right to make changes without written notice.



605 Shiloh Road • Plano, Texas 75074 • 972-212-4800

All rights reserved. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, or by any information storage retrieval system without permission in writing from Air Distribution Technologies