


Perforated Ceiling Diffusers


Steel • Drop Face

Model: PDR • Return


Border Type 3 (Lay-In when D=Module size -2)




Border Type 3 (Lay-In for other duct sizes shown)





Border Type 1 (Surface Mount)



Border Type 2 (Snap-In)






Available Sizes for Border Types 1, 2, 3, 4, 4SL

Face or Ceiling Module Size	Nominal Duct Size D																	
	6 x 6	8 x 8	10 x 10	12 x 12	14 x 14	15 x 15	18 x 6	18 x 18	22 x 10	22 x 22	46 x 22	6" Dia.	8" Dia.	10" Dia.	12" Dia.	14" Dia.	16" Dia.	
12 x 12	•		•									•						
24 x 12	•						•		•			•						
16 x 16	•	•			•							•	•	•				
20 x 20	•	•	•					•				•	•	•	•	•		
24 x 24	•	•	•	•		•		•		•		•	•	•	•	•	•	•
48 x 24	•	•	•	•		•					•	•	•	•	•	•	•	•

• Indicates available combination.



All dimensions are in inches.

Removing Perforated Face




Accessories (Optional)

Check if provided



All dimensions are in inches.



Standard Finish: #26 White

General Description

- Model PDR drop face ceiling diffusers are designed for use as returns to match the Model PDS supply diffusers.
- Can be mounted in a plenum or connected to a return duct.
- Optional damper is easily adjusted by dropping the perforated face (see page 2).
- Perforated face has $\frac{3}{16}$ " diameter holes on $\frac{1}{4}$ " staggered centers.
- Material is heavy gauge steel.



Note: This submittal is meant to demonstrate general dimensions of this product. The drawing on this submittal are not meant to detail every aspect of the product with exactness. Drawings are not to scale. TITUS reserves the right to make changes without written notice.

605 Shiloh Road • Plano, Texas 75074 • 972-212-4800

D-21.0-S