

Submittal

Insulated

Insulated

Insulated

☐ **FTB-10** • 1" Slot • Bolt-Slot ☐ **FTB-15** • 1½" Slot • Bolt-Slot


☐ **FTB-20** • 2" Slot • Bolt-Slot

☐ **FTBI-10** •1" Slot •Bolt-Slot

☐ **FTBI-15** •1" Slot •Bolt-Slot


☐ **FTBI-20** •1" Slot •Bolt-Slot

Bolt-Slot Ceiling Grid



FlowBar[™] Architectural Ceiling Diffusers Aluminum • FlowTee • Bolt-Slot (for Suspension Systems only)

Standard HighThrow pattern controller shown. Optional JetThrow pattern controller available as an option.



Standard	Dimensions		
Inlet Size	Width	Height	
6 Oval	6 1/4	5 1/4	
8 Oval	9 3/8	5 1/4	
10 Oval	12 1/2	5 1/4	
12 Oval	14 1/8	7 7/8	

Pattern Controller

☐ High Throw ☐ Jet Throw


Border


☐ 11 ☐ 16

Flow Tee Model		(wi	W idth) ots	Nominal Length	Available Inlets (inches)	Plenum Length (inches) L	Unit Length (inches)
	1	2 CRN	2CRA		Oval	Standard	Standard
FTB-10	2 3/4	6 1/16	5 3/16	24, 48	6, 8, 10, 12	21 3/8, 45 3/8	23 7/16, 47 7/16
FTB-15	3 3/4	8 1/16	7 3/16	24, 48	6, 8, 10, 12	21 3/8, 45 3/8	23 7/16, 47 7/16
FTB-20	4 3/4	10 1/16	9 3/16	24, 48	6, 8, 10, 12	21 3/8, 45 3/8	23 7/16, 47 7/16
FTBI-10	2 3/4	6 1/16	5 3/16	24, 48	6, 8, 10, 12	21 3/8, 45 3/8	23 7/16, 47 7/16
FTBI-15	3 3/4	8 1/16	7 3/16	24, 48	6, 8, 10, 12	21 3/8, 45 3/8	23 7/16, 47 7/16
FTBI-20	4 3/4	10 1/16	9 3/16	24, 48	6, 8, 10, 12	21 3/8, 45 3/8	23 7/16, 47 7/16

Note: Pressure Vane is standard for 48" and 60" plenums only.

Optional FlowTee Border Types






	S	W	Α	D	Н
Model	Slot	Width	Border	Border	Height
	Width		Width	Width	
FTB, FTBI-10	1	2 3/4	7/8	1 3/8	1 11/16
FTB, FTBI-15	1 1/2	3 3/4	1 1/8	1 5/8	1 11/16
FTB, FTBI-20	2	4 3/4	1 3/8	1 7/8	1 11/16

Dimensions are in inches.


Accessories (Optional) Check vif provided.






Model	S Slot Width	B Border Width	W Width	WN Width
FTB, FTBI-10	1	1 7/16	5 3/16	6 1/16
FTB, FTBI-15	1 1/2	1 15/16	7 3/16	8 1/16
FTB, FTBI-20	2	2 7/16	9 3/16	10 1/16







Н
5 1/4
5 1/4
5 1/4
8


Hanger & Mounting Clips

















Notes:

- 1. Use only for single slot systems. Required for 9/16" tee systems.
- 2. Used for multiple slot systems. Required for 9/16"
- 3. Spline support clip is a connector clip bent at 90°.
- 4. Used for type 6 rail only.
- Used for type 1 rail only.

Optional Blank-Offs

FBBO - 72" Field cut

Diffuser Standard Finish: •

#26 White border

Flat Black interior

General Description —

- Standard length of diffuser sections are 2', 4' and 5".
- Pattern controllers change direction of the air flow. Maximum length is 24". Pattern controllers are furnished in multiple sections for diffusers longer than 24".
- Diffuser material is extruded aluminum.
- Plenum is galvanized steel (non-painted).



Note: This submittal is meant to demonstrate general dimensions of this product. The drawings on this submittal are not meant to detail every aspect of the product with exactness. Drawings are not to scale. TITUS reserves the right to make changes without written notice.